
Bioenergy Workshop Session

Eric Toone Jonathan Burbaum

February 27, 2012




Biofuels: A tough nut to crack




Source: Booz Allen Hamilton analysis based on information from IEA, DOE and interviews with super-majors



Current pathways for liquid fuels from solar energy have low energy efficiency








Scalable production of macroalgae as a feedstock for isobutanol










Diminishing biomass pre-treatment costs through plant biotechnology



- 1. Agrivida™ crops produce dormant enzymes within the plant.
- 2. The dormant enzymes are activated after harvest.
- 3. The activated enzymes degrade the cell wall.





Developing high biomass dedicated energy crops with increased nitrogen use efficiency

4 HIGH BIOMASS NUE TRAITS



DEDICATED ENERGY CROPS



FIELD TRIALS IN 4 STATES








Economically-viable algae systems technologies suitable for deployment



Biocatalyst development













ARPA-E seeks new biofuels programs to address current biofuel production inefficiencies





Chemolithoautotrophs are at the core of a efficient and flexible Electrofuels platform



HCO₃ —

Carbon Fixation

Reductive acetyl-CoA (Wood-Ljungdahl)

Reductive citric acid (Arnon-Buchanan)

3-Hydroxypropionate-4-hydroxybutyrate

Reductive pentose phosphate (Calvin-Benson-Bassham)

3-Hydroxypropionate

Biosynthetic pathways

Biofuels Synthesis

n-Butanol

Alkanes

Isooctane

Triterpene

Iso-Butanol

Chemolithoautotrophic Platform Organisms

Clostridium E. coli Acidithiobacillus Nitrosomonas
Geobacter Pyrococcus Ralstonia Desulfobulbus
Shewanella Synechocystis Rhodobacter Mixed communities

Source: Conrado, R.J., Haynes, C.A., Haendler, B.E., Toone, E.J., Electrofuels: A New Paradigm for Renewable Fuels 2011, *Advanced Biofuels and Bioproducts (in press)* (Lee, J., ed.): Springer, U.S.



H₂ consuming bacteria










Autotrophic production

Free fatty acid extraction

Final fuel upgrading




Electrochemically produced formate






Direct current/biocathodes



Geobacter metallireducens can form conductive biofilms on the surface of electrodes






Acetogenes have demonstrated the ability to produce acetate directly from electrons with high coulombic efficiency





Programs focus on white spaces in biofuel production









PETRO

Plants Engineered To Replace Oil


Developing Dedicated Biofuel Crops



Photosynthesis Optimization



Metabolic engineering



Yield: 160 GJ/Ha-year (2x corn)

Cost: < \$3 GGE





Plants being developed under PETRO









(Camelina)











(Arabidopsis→Switchgrass)

















Pine trees engineered to produce fuel molecules in addition to providing pulp for paper

Increase production, fuel quality & storage capacity for pine terpenes



Loblolly pine



Ancient source of turpentine



Processed on an industrial scale















Higher yield Camelina with improved energy & CO₂ capture



Higher light capturing efficiency



Algae traits for improved fixation



Higher yields of seed oils

















Sorghum engineered to produce fuel



Sweet Sorghum











to make fuel, instead of sugar













Questions?



- What approaches are missing?
- How else can biology be used to transform the energy landscape?

Please note, this is not an opportunity to discuss specific technologies

